

### 1 - FABBRICANTE/MANDATARIO

Ragione Sociale o Marchio

**SPASCIANI S.p.A.**

Indirizzo della Sede Legale

Piazza Castello 9 - 20121 Milano

### 2 - CARATTERISTICHE DEL DISPOSITIVO DI PROTEZIONE INDIVIDUALE

Tipo

DPI per le vie respiratorie – Filtri antigas e combinati

Modelli

203 A2B2E2K2P3 R D  
203 A2B2E2K2HgP3 R D  
202 A2B2E2P3 R D  
202 A2B2P3 R D  
202 B2P3 R D  
202 E2P3 R D  
201 K2P3 R D  
202 A2P3 R D  
203 AXP3 NR D  
202 A2B2E2K2  
200 LBR A2  
100 K2  
200 A2  
202 AX  
201 A2B2E2  
201 A2B2  
201 B2  
201 E2  
200 A1P3 R D

Descrizione

Filtri antigas e combinati con involucro Ø 100 e raccordo EN 148-1

Fascicolo tecnico

Filtri antigas/combinati EN 148-1 Rev. 10 del 26/11/2018

Norme di riferimento

UNI EN 14387:2008

### 3 - MODIFICHE

Il presente Certificato UE è stato emesso a seguito di una modifica costruttiva dei filtri, con adozione di un nuovo tipo di sigillante. Nell'occasione la documentazione è stata adeguata ai requisiti del regolamento (UE) 2016/425.

Il presente certificato sostituisce i precedenti certificati PPE086AT1281, PPE086AT1293, PPE086AT1307, PPE086AT1340, PPE086AT1491, PPE086AT1493, PPE086AT1496, PPE086AT1592, PPE086AT1632.

### 4 - VALUTAZIONE E IDONEITÀ

Vista la documentazione tecnica fornita dal Fabbricante e gli esiti delle valutazioni effettuate, i DPI descritti sopra soddisfano i requisiti essenziali di salute e sicurezza applicabili stabiliti dal Regolamento UE 2016/425 Allegato II.

Per i Dispositivi di Protezione Individuale rientranti nella categoria III il presente certificato deve essere utilizzato solo in combinazione con una delle procedure di valutazione della conformità di cui all'articolo 19, lettera c) del Regolamento UE 425/2016.

L'utilizzo del presente Certificato è vincolato al rispetto dei regolamenti di certificazione di ITALCERT applicabili

*he*

NOTE:

- Il fascicolo tecnico esaminato di cui al punto 2 del presente documento è conservato presso la sede di ITALCERT.
- La valutazione di conformità si basa anche sulle verifiche riportate nei documenti elencati nella sezione "ALLEGATI".

5 - ALLEGATI

Rapporto di prova n° PPE086RP2663 emesso da Italcert il 2018-12-20  
Rapporto di prova n° 201826539/2120 emesso da IFA il 2018-11-27  
Rapporto di Prova n° PPE086RP2609 emesso da Italcert S.r.l. il 2018-04-10  
(allegato al certificato PPE086AT1632 emesso da ITALCERT S.r.l.)  
Rapporto di prova n° PPE086RP2558 emesso da Italcert S.r.l. il 2017-11-10  
(allegato al certificato PPE086AT1592 emesso da ITALCERT S.r.l.)  
Rapporto di Prova n° PPE086RP2472 emesso da Italcert S.r.l. il 2016-12-13  
(allegato al certificato PPE086AT1491 emesso da ITALCERT S.r.l.)  
Rapporto di Prova n° PPE086RP2336 emesso da Italcert S.r.l. il 2015-07-15  
(Allegato al Certificato CE n° PPE086AT1373 emesso da Italcert S.r.l.)  
Rapporto di Prova n° PPE086RP2303 emesso da Italcert in data 2015-04-22  
(allegato al certificato PPE086AT1340 emesso da ITALCERT S.r.l.)  
Rapporto di Prova n° PPE086RP2283 emesso da Italcert S.r.l. il 2015-03-11  
(allegato al certificato PPE086AT1307 emesso da ITALCERT S.r.l.)  
Rapporto di Prova n° PPE086RP2266 emesso da Italcert S.r.l. il 2015-01-12  
(allegato al certificato PPE086AT1293 emesso da ITALCERT S.r.l.)  
Rapporto di Prova n° 201423109/2120 emesso da IFA il 2015-01-05  
(allegato al certificato PPE086AT1293 emesso da ITALCERT S.r.l.)  
Rapporto di Prova n° PPE086RP2255 emesso da Italcert S.r.l. il 2014-12-01  
(allegato al certificato PPE086AT1281 emesso da ITALCERT S.r.l.)  
Rapporto di Prova n° PPE086RP2015 emesso da Italcert S.r.l. il 2013-04-10  
(allegato al Certificato CE n° PPE086AT1137 emesso da ITALCERT)  
Rapporto di prova n° 7611.1 A/12 emesso da DEKRA (0158) il 2012-09-27  
(allegato al certificato n° 7611 A/12/40 PSA emesso da DEKRA)  
Rapporto di prova n° 7611.2 A/12 emesso da DEKRA (0158) il 2012-09-27  
(allegato al certificato n° 7611 A/12/40 PSA emesso da DEKRA)  
Rapporto di prova n° 200521368/2120, emesso da BGIA (O.N. 0121) il 2005-10-10  
(Allegato al Certificato CE n° 0501144, emesso da BGIA)  
Rapporto di Prova n° PPE/RP 858-04 emesso da Italcert S.r.l. il 2004-04-01  
(allegato al Certificato CE n° PPE/AT 576-04 EST.01-04/04 Prot.0527-04 emesso da Italcert S.r.l.)  
Rapporto di Prova n° PPE/RP 854-04 emesso da Italcert S.r.l. il 2004-04-01  
(allegato al Certificato CE n° PPE/AT 573-04 EST 01-04/04 Prot.0523-04 emesso da Italcert S.r.l.)  
Rapporto di Prova n° PPE/RP 852-04 emesso da Italcert S.r.l. il 2004-04-01  
(allegato al Certificato CE n° PPE/AT 572-04 EST.01-04/04 Prot.0521/04 emesso da Italcert S.r.l.)  
Rapporto di prova n° PPE/RP 851-04, emesso da Italcert S.r.l. il 2004-04-01  
(allegato al Certificato CE n° PPE/AT n°572-04 Prot. 0520/04 emesso da ITALCERT)

Data di emissione: 2018-12-21

**ITALCERT S.r.l.**  
  
Dr. Ing. Roberto Cusolito  
Amministratore Delegato

Data di scadenza: 2023-12-15

L'utilizzo del presente Certificato è vincolato al rispetto dei regolamenti di certificazione di ITALCERT applicabili

### 1 - MANUFACTURER

Name or trade mark

**SPASCIANI S.p.A.**

Legal address

Piazza Castello 9 - 20121 Milano

### 2 - CHARACTERISTICS OF PPE

Type

Respiratory protective device – Gas and combined filters

Models

203 A2B2E2K2P3 R D  
203 A2B2E2K2HgP3 R D  
202 A2B2E2P3 R D  
202 A2B2P3 R D  
202 B2P3 R D  
202 E2P3 R D  
201 K2P3 R D  
202 A2P3 R D  
203 AXP3 NR D  
202 A2B2E2K2  
200 LBR A2  
100 K2  
200 A2  
202 AX  
201 A2B2E2  
201 A2B2  
201 B2  
201 E2  
200 A1P3 R D

Description

Gas and combined filters with Ø 100 canister and EN 148-1 connection.

Technical file

Filtri antigas/combinati EN 148-1 Rev. 10 dated 26/11/2018

Reference standards EN 14387:2004+A1:2008

### 3 – MODIFICATIONS

These UE certificate has been issue as a modification in design of the filters, with the adoption of a new kind of sealing procedure. At the same time the documentation has been updated in reference to Regulation (EU) 2016/425 requirements.

This certificate substitutes previous certificates PPE086AT1281, PPE086AT1293, PPE086AT1307, PPE086AT1340, PPE086AT1491, PPE086AT1493, PPE086AT1496, PPE086AT1592, PPE086AT1632.

### 4 - EVALUATION AND ASSESSMENT

In consideration of the technical documentation supplied by the Manufacturer and of the results of the evaluations, the PPE listed above meets the basic health and safety requirements as specified by the Annex II of the Regulation EU 2016/425.

For Personal Protective Equipment of category III the present Certificate must be used only in combination with one of the evaluation of conformity procedures of which at article 19, letter c) of the Regulation EU 2016/425.

The use of the present Certificate is subordinated to the observance of ITALCERT applicable regulations for the certification

### NOTES:

- The examined technical file of which at point 2 of the present document is available at ITALCERT.
- This is the English translation of the UE Type Examination Certificate PPE086AT1694 issued by ITALCERT in Italian language. In case of discrepancy the EU Certificate in Italian language must be referred to.
- The compliance evaluation is based also on the test recorded in the documents listed in section ANNEXES.

### 5- ANNEXES

- Test report n° PPE086RP2663 issued by Italcert on 2018-12-20
- Test report n° 201826539/2120 issued by IFA on 2018-11-27
- Test report n° PPE086RP2609 issued by Italcert S.r.l. on 2018-04-10  
(annexed to the certificate PPE086AT1632 issued by ITALCERT S.r.l.)
- Test report n° PPE086RP2558 issued by Italcert S.r.l. on 2017-11-10  
(annexed to the certificate PPE086AT1592 issued by ITALCERT S.r.l.)
- Test report n° PPE086RP2472 issued by Italcert S.r.l. on 2016-12-13  
(annexed to the certificate PPE086AT1491 issued by ITALCERT S.r.l.)
- Test report n° PPE086RP2336 issued by Italcert S.r.l. on 2015-07-15  
(Annexed to the certificate CE n° PPE086AT1373 issued by Italcert S.r.l.)
- Test report n° PPE086RP2303 issued by Italcert on 2015-04-22  
(annexed to the certificate PPE086AT1340 issued by ITALCERT S.r.l.)
- Test report n° PPE086RP2283 issued by Italcert on 2015-03-11  
(annexed to the certificate PPE086AT1307 issued by ITALCERT S.r.l.)
- Test report n° PPE086RP2266 issued by Italcert on 2015-01-12  
(annexed to the certificate PPE086AT1293 issued by ITALCERT S.r.l.)
- Test report n° 201423109/2120 issued by IFA in data 2015-01-05  
(annexed to the certificate PPE086AT1293 issued by ITALCERT S.r.l.)
- Test report n° PPE086RP2255 issued by Italcert on 2014-12-01  
(annexed to the certificate PPE086AT1281 issued by ITALCERT S.r.l.)
- Test report n° PPE086RP2015 issued by Italcert S.r.l. on 2013-04-10  
(annexed to the certificate CE n° PPE086AT1137 issued by ITALCERT)
- Test report n° 7611.1 A/12 issued by DEKRA (0158) on 2012-09-27  
(annexed to the certificate n° 7611 A/12/40 PSA issued by DEKRA)
- Test report n° 7611.2 A/12 issued by DEKRA (0158) on 2012-09-27  
(annexed to the certificate n° 7611 A/12/40 PSA issued by DEKRA)
- Test report n° 200521368/2120, issued by BGIA (O.N. 0121) on 2005-10-10  
(Annexed to the certificate CE n° 0501144, issued by BGIA)
- Test report n° PPE/RP 858-04 issued by Italcert S.r.l. on 2004-04-01  
(annexed to the certificate CE n° PPE/AT 576-04 EST.01-04/04 Prot.0527-04 issued by Italcert S.r.l.)
- Test report n° PPE/RP 854-04 issued by Italcert S.r.l. on 2004-04-01  
(annexed to the certificate CE n° PPE/AT 573-04 EST 01-04/04 Prot.0523-04 issued by Italcert S.r.l.)
- Test report n° PPE/RP 852-04 issued by Italcert S.r.l. on 2004-04-01  
(annexed to the certificate CE n° PPE/AT 572-04 EST.01-04/04 Prot.0521/04 issued by Italcert S.r.l.)
- Test report n° PPE/RP 851-04, issued by Italcert S.r.l. on 2004-04-01  
(annexed to the certificate CE n° PPE/AT n°572-04 Prot. 0520/04 issued by ITALCERT)

Date of issue: 2018-12-21

**ITALCERT S.r.l.**  
  
Dr. Ing. Roberto Cusolito  
Amministratore Delegato

Expiry date: 2023-12-15

The use of the present Certificate is subordinated to the observance of ITALCERT applicable regulations for the certification